

## Highly Erodible Lands Report

Fayette County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
At	ATKINS SOILS, LOCAL ALLUVIUM	not highly erodible	not highly erodible	not highly erodible
Bb	BIBB SOILS	not highly erodible	not highly erodible	not highly erodible
Bc	BIBB SOILS, LOCAL ALLUVIUM	not highly erodible	not highly erodible	not highly erodible
EcB3	ENDERS CLAY LOAM, 2 TO 6 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
EcC3	ENDERS CLAY LOAM, 6 TO 10 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
EcD3	ENDERS CLAY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
EdB	ENDERS LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
EdB2	ENDERS LOAM, 2 TO 6 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
EdC	ENDERS LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
EdC2	ENDERS LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
EdD	ENDERS LOAM, 10 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
EdD2	ENDERS LOAM, 10 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
Ga	GRAVEL PIT	not highly erodible	not highly erodible	not highly erodible
GeC3	GREENVILLE CLAY LOAM, 2 TO 10 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
GmA	GREENVILLE LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
GmB2	GREENVILLE LOAM, 2 TO 6 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
GmC2	GREENVILLE LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
GnD	GUIN GRAVELLY SANDY LOAM, 6 TO 15 PERCENT SLOPES (FLOMATON)	not highly erodible	highly erodible	highly erodible
Gu	GULLIED LAND	not highly erodible	not highly erodible	not highly erodible
HaB2	HANCEVILLE LOAM, 2 TO 6 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
Ik	IUKA SILT LOAM	not highly erodible	not highly erodible	not highly erodible
Io	IUKA-OCHLOCKONEE COMPLEX, LOCAL ALLUVIUM	not highly erodible	not highly erodible	not highly erodible
LdB	LEADVALE LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
MaC2	MAGNOLIA FINE SANDY LOAM, 2 TO 10 PERCENT SLOPES, ERODED (GREENVILLE)	not highly erodible	highly erodible	highly erodible
Mc	MANTACHIE FINE SANDY LOAM	not highly erodible	not highly erodible	not highly erodible
Mh	MANTACHIE SOILS, LOCAL ALLUVIUM	not highly erodible	not highly erodible	not highly erodible
Mk	MANTACHIE, LEAF, AND IUKA SOILS	not highly erodible	not highly erodible	not highly erodible
Mm	MASHULAVILLE LOAM	not highly erodible	not highly erodible	not highly erodible
MoC	MONTEVALLO CHANNERY SILT LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
MoC3	MONTEVALLO CHANNERY SILT LOAM, 6 TO 10 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible

# Highly Erodible Lands Report, cont.

## Fayette County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
MoD	MONTEVALLO CHANNERY SILT LOAM, 10 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
MoD3	MONTEVALLO CHANNERY SILT LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
MoE	MONTEVALLO CHANNERY SILT LOAM, 15 TO 50 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
MoE3	MONTEVALLO CHANNERY SILT LOAM, 15 TO 50 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
My	MYATT SILT LOAM	not highly erodible	not highly erodible	not highly erodible
Oc	OCHLOCKONEE LOAM	not highly erodible	not highly erodible	not highly erodible
Od	OCHLOCKONEE SANDY LOAM	not highly erodible	not highly erodible	not highly erodible
OfB2	ORA FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
OfC	ORA FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
OfC2	ORA FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
OfD2	ORA FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
OrC3	ORA SANDY CLAY LOAM, 6 TO 10 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
Pb	PHEBA LOAM	not highly erodible	not highly erodible	not highly erodible
Ph	PHILO SOILS, LOCAL ALLUVIUM	not highly erodible	not highly erodible	not highly erodible
PrA	PRENTISS FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
PrB2	PRENTISS FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
Rd	ROCK LAND	not highly erodible	not highly erodible	not highly erodible
RfA	RUSTON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
RfB	RUSTON FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
RfB2	RUSTON FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
RfC	RUSTON FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
RfC2	RUSTON FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
RfD	RUSTON FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
RfD2	RUSTON FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, ERODED (SMITHDALE)	not highly erodible	highly erodible	highly erodible
RfE	RUSTON FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
RsC3	RUSTON SANDY CLAY LOAM, 6 TO 10 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
RsD3	RUSTON SANDY CLAY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
RtE	RUSTON-CUTHBERT ASSOCIATION, 15 TO 50 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
RxC	RUSTON-CUTHBERT-SHUBUTA COMPLEX, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
RxC2	RUSTON-CUTHBERT-SHUBUTA COMPLEX, 6 TO 10 PERCENT SLOPES, ERODED (SMITHDALE-MAUBILA-LUVERNE)	not highly erodible	highly erodible	highly erodible
RxD	RUSTON-CUTHBERT-SHUBUTA COMPLEX, 10 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible

# Highly Erodible Lands Report, cont.

Fayette County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
RxD2	RUSTON-CUTHBERT-SHUBUTA COMPLEX, 10 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
Sa	SANDY ALLUVIAL LAND	not highly erodible	not highly erodible	not highly erodible
SbA	SAVANNAH LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
SbB	SAVANNAH LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
SbB2	SAVANNAH LOAM, 2 TO 6 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
SbC2	SAVANNAH LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
Sc	SEQUATCHIE LOAM	not highly erodible	not highly erodible	not highly erodible
SfB2	SHUBUTA FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
SfC	SHUBUTA FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
SfC2	SHUBUTA FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
SfD	SHUBUTA FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
SfD2	SHUBUTA FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
ShC2	SHUBUTA-BOSWELL COMPLEX, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
ShD2	SHUBUTA-BOSWELL COMPLEX, 10 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
ShE	SHUBUTA-BOSWELL COMPLEX, 15 TO 50 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
Sn	STENDAL SOILS, LOCAL ALLUVIUM (KINSTON)	not highly erodible	not highly erodible	not highly erodible
StA	STOUGH LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
Tc	TERRACE ESCARPMENTS	not highly erodible	highly erodible	highly erodible
TmB2	TOWNLEY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
TmC	TOWNLEY LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
TmC2	TOWNLEY LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
TmD2	TOWNLEY LOAM, 10 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
TnB3	TOWNLEY SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
TnC3	TOWNLEY SILTY CLAY LOAM, 6 TO 10 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
TnD3	TOWNLEY SILTY CLAY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible